



Test Report

Report No : BST15DI500950002Y-1RR-4 Date: Aug. 19, 2015

Page 1 of 9

Applicant : CIXI CITY MEIJIA SANITARY WARE FACTORY

Address : NO.328,Cangda Road, CangTian Village, ChangHe Town, CiXi, Zhejiang China

The following sample(s) was /were submitted and identified on behalf of the clients as :

Sample Name : STRONG CHUCK

Sample Model : YJ007, YJ001, YJ002, YJ003, YJ004, YJ005, YJ006

Sample Received Date : Aug. 16, 2015

Testing Period : Aug. 16, 2015 To Aug. 19, 2015

Test Requested : Selected test (s) in the selected parts as requested by client with the RoHS Directive 2011/65/EU.

Test Method : Please refer to next page(s).

Test Result : Please refer to next page(s).

Signed for and on behalf of



Andy Zheng/ Technical Director

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.



Test Report

Report No : BST15DI500950002Y-1RR-4 Date: Aug. 19, 2015

Page 2 of 9

Sample Description:

| No. | Description | Name |
|-----|-------------|--------------------------|
| 1 | Plastic | White Plastic |
| 2 | Silicone | Orange Silicone Ring |
| 3 | Metal | Screw |
| 4 | Rubber | Black Rubber Suction Cup |

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

Dongguan BST Testing Co., Ltd.

A1201-1204 Xinsanqi Of Dongbao Road, Dongcheng District, Tel:400-882-9628 Fax:86-769-23020106
Dongguan, Guangdong, China, E-mail:christina@bst-lab.com Http://www.bst-lab.com Complaints hotline:86-755-26747756



Test Report

Report No : BST15DI500950002Y-1RR-4 Date: Aug. 19, 2015

Page 3 of 9

Test Result (No.1):

| Test Item(s) | Unit | Test Method (Reference) | Result | MDL | Limit |
|---------------------------|--------------|------------------------------|-------------|-----------|-------------|
| Cadmium(Cd) | mg/kg | IEC 62321-5:2013, ICP-AES | N.D. | 2 | 100 |
| Lead(Pb) | mg/kg | IEC 62321-5:2013, ICP-AES | N.D. | 2 | 1000 |
| Mercury(Hg) | mg/kg | IEC 62321-4:2013, ICP-AES | N.D. | 2 | 1000 |
| Hexavalent Chromium(CrVI) | mg/kg | IEC 62321:2008, UV-Vis | N.D. | 2 | 1000 |
| Sum of PBBs | mg/kg | IEC 62321:2008, GC-MS | N.D. | -- | 1000 |
| Monobromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Dibromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Tribromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Tetrabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Pentabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Hexabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Heptabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Octabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Nonabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Decabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Sum of PBDEs | mg/kg | IEC 62321:2008, GC-MS | N.D. | -- | 1000 |
| Monobromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Dibromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Tribromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Tetrabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Pentabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Hexabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Heptabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Octabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Nonabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Decabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.



Test Report

Report No : BST15DI500950002Y-1RR-4 Date: Aug. 19, 2015

Page 4 of 9

Test Result (No.2):

| Test Item(s) | Unit | Test Method (Reference) | Result | MDL | Limit |
|---------------------------|--------------|------------------------------|-------------|-----------|-------------|
| Cadmium(Cd) | mg/kg | IEC 62321-5:2013, ICP-AES | N.D. | 2 | 100 |
| Lead(Pb) | mg/kg | IEC 62321-5:2013, ICP-AES | N.D. | 2 | 1000 |
| Mercury(Hg) | mg/kg | IEC 62321-4:2013, ICP-AES | N.D. | 2 | 1000 |
| Hexavalent Chromium(CrVI) | mg/kg | IEC 62321:2008, UV-Vis | N.D. | 2 | 1000 |
| Sum of PBBs | mg/kg | IEC 62321:2008, GC-MS | N.D. | -- | 1000 |
| Monobromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Dibromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Tribromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Tetrabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Pentabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Hexabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Heptabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Octabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Nonabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Decabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Sum of PBDEs | mg/kg | IEC 62321:2008, GC-MS | N.D. | -- | 1000 |
| Monobromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Dibromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Tribromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Tetrabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Pentabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Hexabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Heptabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Octabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Nonabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Decabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.



Test Report

Report No : BST15DI500950002Y-1RR-4 Date: Aug. 19, 2015

Page 5 of 9

Test Result (No.3):

| Test Item(s) | Unit | Test Method (Reference) | Result | MDL | Limit |
|---------------------------|--------------|------------------------------|-----------|-----------|-------------|
| Cadmium(Cd) | mg/kg | IEC 62321-5:2013, ICP-AES | N.D. | 2 | 100 |
| Lead(Pb) | mg/kg | IEC 62321-5:2013, ICP-AES | N.D. | 2 | 1000 |
| Mercury(Hg) | mg/kg | IEC 62321-4:2013, ICP-AES | N.D. | 2 | 1000 |
| Hexavalent Chromium(CrVI) | mg/kg | IEC 62321:2008, UV-Vis | N.D. | 2 | 1000 |
| Sum of PBBs | mg/kg | IEC 62321:2008, GC-MS | -- | -- | 1000 |
| Monobromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Dibromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Tribromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Tetrabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Pentabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Hexabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Heptabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Octabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Nonabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Decabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Sum of PBDEs | mg/kg | IEC 62321:2008, GC-MS | -- | -- | 1000 |
| Monobromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Dibromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Tribromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Tetrabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Pentabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Hexabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Heptabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Octabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Nonabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |
| Decabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | -- | 5 | -- |

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.



Test Report

Report No : BST15DI500950002Y-1RR-4 Date: Aug. 19, 2015

Page 6 of 9

Test Result (No.4):

| Test Item(s) | Unit | Test Method (Reference) | Result | MDL | Limit |
|---------------------------|--------------|------------------------------|-------------|-----------|-------------|
| Cadmium(Cd) | mg/kg | IEC 62321-5:2013, ICP-AES | N.D. | 2 | 100 |
| Lead(Pb) | mg/kg | IEC 62321-5:2013, ICP-AES | N.D. | 2 | 1000 |
| Mercury(Hg) | mg/kg | IEC 62321-4:2013, ICP-AES | N.D. | 2 | 1000 |
| Hexavalent Chromium(CrVI) | mg/kg | IEC 62321:2008, UV-Vis | N.D. | 2 | 1000 |
| Sum of PBBs | mg/kg | IEC 62321:2008, GC-MS | N.D. | -- | 1000 |
| Monobromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Dibromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Tribromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Tetrabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Pentabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Hexabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Heptabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Octabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Nonabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Decabromobiphenyl | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Sum of PBDEs | mg/kg | IEC 62321:2008, GC-MS | N.D. | -- | 1000 |
| Monobromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Dibromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Tribromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Tetrabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Pentabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Hexabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Heptabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Octabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Nonabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |
| Decabromodiphenyl ether | mg/kg | IEC 62321:2008, GC-MS | N.D. | 5 | -- |

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.



Test Report


Report No : BST15DI500950002Y-IRR-4 Date: Aug. 19, 2015

Page 7 of 9


- Note:**
1. mg/kg= ppm
 2. N.D.= Not Detected(<MDL)
 3. MDL = Method Detection Limit
 4. -- = No Testing

Test Process:

1. Test for Cd/Pb Content



2. Test for PBB, PBDE



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.




Test Report

Report No : BST15DI500950002Y-1RR-4 Date: Aug. 19, 2015


Page 8 of 9

3. Test for Chromium (VI) Content


Nonmetallic material



Metallic material



4. Test for Hg Contents



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.



Test Report

Report No : BST15DI500950002Y-IRR-4 Date: Aug. 19, 2015

Page 9 of 9

Sample Photo:



*** End of Report ***

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of BST, this test report shall not be copied except in full and published as advertisement. BST Physical & Chemical Lab.

Dongguan BST Testing Co., Ltd.

A1201-1204 Xinsanqi Of Dongbao Road, Dongcheng District, Tel:400-882-9628 Fax:86-769-23020106
Dongguan, Guangdong, China, E-mail:christina@bst-lab.com Http://www.bst-lab.com Complaints hotline:86-755-26747756